Maastricht University Beamer Theme

This is a subtitle

My name [1] & Another Author [2]

[1]ROA, Maastricht University

[2]SBE, Maastricht University

October 4, 2024

Maastricht University

Outline

Short Title

Me, other

Looks of
environments
Looks of list
environments
Looks of block
environments

Colors

Using the
theme

Customized
Commands
Commands for
mathematical
notation
Other Commands

Maastricht University

Section 1. Looks of environments

Looks of list environments

- Important point
- Not really an important point, but let's pretend it is
⟶ Command \arrowitem is a shortcut for \item[$\longrightarrow$]

1. Breathe in
2. Breathe out

UM Beamer theme looks simple and nice

Maastricht University

Looks of block environments

Making things stand out

This is an example of citation Author (2023).

Colors

Official UM colors are available, see the next slide

Section 2. Colors

Colors

The UM Beamer theme defines the following official Maastricht University colors:

UMdarkblue: RGB 0,28,61

UMlightblue: RGB 0,162,219

UMred: RGB 174,11,18

UMorgange: RGB 243,148,37

UMorgangered: RGB 232,78,16

$\longrightarrow$ Command \alert() uses UMred for highlighting

Maastricht University

Section 3. Using the theme

Using the theme

$\longrightarrow$ Include \usetheme{UM} in the preamble

$\longrightarrow$ Use \UMtitleframe to generate the title page

Theme options:

- navigation: Display a navigation bar on the left hand side
- sectiontitles: Display a slide with the section title at the start of each section

Example: \usetheme[navigation, sectiontitles]{UM}

 Maastricht University

Section 4. Customized Commands

Commands for mathematical notation

For mathematical notation inside math environments, the following commands are available:

- \mat{}: For formatting matrices, e.g., $\boldsymbol{X}$

- \vect{}: For formatting vectors, e.g., $\boldsymbol{x}$

- \obs{}: For formatting observations, e.g., $\mathbf{x}$

Other commands provided by the theme

For writing about software, the following commands are available:

- \proglang{}: For highlighting programming languages, e.g., R

  (has no effect if you already use a sans serif font)

- \pkg{}: For highlighting software packages, e.g., robmed

- \code{}: For highlighting functions, e.g., test_mediation()

$\longrightarrow$ Special characters currently need to be escaped within those commands, e.g., _ for underscores

Maastricht University

Bibliography

Author, S. (2023). Sample title. The Quarterly journal of Sample, 118(4):11–13.